







<b>QuickScan I QD2400 Models and Kits</b>	
QuickScan I QD2430, 2D Area Imager, KBW/USB/RS-232 Multi-Interface, 4.5-14V, Black	QD2430-BK
QuickScan I QD2430, 2D Area Imager, KBW/USB/RS-232 Multi-Interface, 4.5-14V, White	QD2430-WH
QuickScan I QD2430, Enhanced 2D Area Imager, KBW/USB/RS-232 Multi-Interface, 4.5-14V, Black	QD2430-BK-E
QuickScan QD2430, 2D Area Imager, USB Kit with 90A052065 Cable and Stand, Black	QD2430-BKK1S
QuickScan QD2430, 2D Area Imager, USB Kit with 90A052065 Cable and Stand, White	QD2430-WHK1S
QuickScan QD2430, 2D Area Imager, USB Kit with 90A052065 Cable, Auto-Stand, Black	QD2430-BKK1B
QuickScan QD2430, 2D Area Imager, USB Kit with 90A052065 Cable, Black	QD2430-BKK1
QuickScan QD2430, 2D Area Imager, USB Kit with 90A052065 Cable, White	QD2430-WHK1

<b>EASEOFCARE AGREEMENTS</b>	
QD24XX EofC 2 Days Comprehensive, 1 Year Renewal	ZSC2QD24R1
QD24XX EofC 2 Days Comprehensive, 3 Years	ZSC2QD2431
QD24XX EofC 2 Days Comprehensive, 5 Years	ZSC2QD2451
QD24XX EofC 5 Days, 1 Year Renewal	ZSN5QD24R1
QD24XX EofC 5 Days, 3 Years	ZSN5QD2431
QD24XX EofC 5 Days, 5 Years	ZSN5QD2451
QD24XX EofC Overnight Replacement Comprehensive, 1 Year Renewal	ZSC1QD24R1
QD24XX EofC Overnight Replacement Comprehensive, 3 Years	ZSC1QD2431
QD24XX EofC Overnight Replacement Comprehensive, 5 Years	ZSC1QD2451

<b>CABLES</b>	
Adapter, KBW to USB, ADP-203	90ACC1903
Cable, IBM AT/XT, KBW, Din Connector, Straight, CAB-322, 7 ft.	90G001020
Cable, IBM PS/2, KBW, Minidin Connector, Coiled, CAB-365, 6 ft.	90A051360
Cable, IBM PS/2, KBW, Minidin Connector, Straight, CAB-321	90G001010
Cable, Power Supply Adapter, KBW, CAB-431	90A051959
Cable, RS-232, 25P, Female, Coiled, CAB-363 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051340

Cable, RS-232, 25P, Female, Straight, CAB-328 (Power Supply available on pin 9 of the connector or with external power supply), 2 Meters	90G001080
Cable, RS-232, 25P, Male, Coiled, CAB-364 (Power Supply available on pin 9 of the connector or through external power supply), 6.5 ft.	90A051350
Cable, RS-232, 25P, Male, Straight, CAB-320 (Power available on pin 25 of the connector or through power supply), 6 ft.	90G001000
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232, DCE, 9P, Extended Power-Power off Terminal, 4 Meters	90A052086
Cable, RS-232, ESD, 9P, Female-Medium, Straight, CAB-411, 6 ft.	90A051901
Cable, RS-232,6' (For Magellan)	90G001092
Cable, USB, IBM PowerPlus Mode, Straight CAB-413, 6 ft.	90A051903
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, Optional Power USB Keyboard, USB COM Mode, Straight, CAB-412, 6 ft.	90A051902
Cable, USB, Type A, Straight, CAB-426, 6 ft.	90A051945

MOUNTS/STANDS		
	STAND, AUTOSENSE FLEX,BLACK	STD-AUTFLX-QD24-BK
	Stand, Autosense, Black	STD-AUTO-QD24-BK
	Stand, Autosense, White	STD-AUTO-QD24-WH

	Stand, Gooseneck, Black	STD-QD24-BK
	Stand, Gooseneck, White	STD-QD24-WH
	Stand/Holder, Gooseneck, Black	STD-QWG20-BK

<b>POWER SUPPLIES/CORDS</b>	
ADAPTER, POWER PLUG, AUSTRALIA	90ACC0309
ADAPTER, POWER PLUG, EURO, 2 PIN	90ACC0307
ADAPTER, POWER PLUG, UK	90ACC0308
ADAPTER, POWER PLUG, US/JAPAN	90ACC0306
Power Supply, 5VDC, includes 2 pin power cord adapter, no power cord	90ACC0287